

**Massachusetts Department of Public Health (MDPH)**  
**Immunization Program**  
**Childhood Vaccine Availability Table**

**Eligibility**

- **All Children:** Vaccine provided by MDPH for identified cohorts regardless of insurance status.
- **VFC Only:** Vaccine provided by MDPH for children under 19 years of age in the identified cohorts who are enrolled in Medicaid, uninsured, American Indian or Alaska Native, and those seen at a federally qualified community health center.

Vaccine	Eligibility	MDPH Supplied Vaccine Available For
<b>DT</b>	<b>All</b>	<ul style="list-style-type: none"> <li>• Children 2 months-6 years of age for whom pertussis vaccine is contraindicated</li> </ul>
<b>DTaP</b>	<b>All</b>	<ul style="list-style-type: none"> <li>• All children 2 months-6 years of age</li> </ul>
<b>DTaP-HepB-IPV (Pediarix®)</b>	<b>All</b>	<ul style="list-style-type: none"> <li>• All children 6 weeks-6 years of age for the primary series of DTaP, HepB and IPV</li> </ul> <p><b>Not</b> approved for the 4<sup>th</sup> or 5<sup>th</sup> dose of the DTaP series or the 4<sup>th</sup> dose of the IPV series.</p>
<b>Hep A</b>	<b>All</b>	<ul style="list-style-type: none"> <li>• Children 12-23 months of age</li> <li>• High-risk children* 2-18 years of age</li> </ul> <p><b>Not available for:</b> Routine catch-up vaccination of children 2 years of age and older</p>
<b>Hep B</b>	<b>All</b>	<ul style="list-style-type: none"> <li>• All children through 18 years of age</li> </ul>
<b>Hib</b>	<b>All</b>	<ul style="list-style-type: none"> <li>• All children 2-59 months of age</li> <li>• Those over 5 years of age in an ACIP recommended group*</li> </ul>
<b>HPV</b>	<b>VFC Only</b>	<ul style="list-style-type: none"> <li>• Girls 9-18 years of age</li> <li>• Routinely administered to girls 11-12 years of age</li> <li>• “Catch-up” vaccination recommended for girls 13-18 years of age</li> </ul>
<b>Influenza</b>	<b>All</b>	<ul style="list-style-type: none"> <li>• Children 6-59 months of age</li> <li>• Children 5-18 years of age in an ACIP recommended group*</li> </ul>
<b>Meningococcal Conjugate (MCV4)</b> (MDPH does not provide meningococcal polysaccharide vaccine)	<b>VFC Only</b>	<ul style="list-style-type: none"> <li>• One cohort of adolescents at 7<sup>th</sup> grade entry (11-12 years of age)</li> <li>• Adolescents at high school entry (i.e., at approximately 15 years of age)</li> <li>• College freshmen living in dormitories</li> <li>• Other high-risk groups* for meningococcal disease</li> </ul>
<b>MMR</b>	<b>All</b>	<ul style="list-style-type: none"> <li>• All children 12 months-18 years of age</li> </ul>
<b>MMR-V</b>	<b>All</b>	<ul style="list-style-type: none"> <li>• Children 12 months-12 years of age when both varicella and MMR are indicated</li> <li>• 1<sup>st</sup> dose routinely administered at 12-15 months of age</li> <li>• 2<sup>nd</sup> dose for one cohort, routinely administered at kindergarten entry (4-6 years of age)</li> </ul> <p><b>Not available for:</b> Children who have already received 2 doses of MMR vaccine. Single antigen varicella vaccine should be used for this group</p>

**Continued→**

\*For a list of vaccines and the groups for whom vaccine is recommended, please see the MDPH *Summary of Advisory Committee on Immunization Practices (ACIP) Recommended Groups for Vaccination*. For the complete ACIP recommendations, see [www.cdc.gov/nip/ACIP/default.htm](http://www.cdc.gov/nip/ACIP/default.htm).

**Massachusetts Department of Public Health (MDPH)**  
**Immunization Program**  
**Childhood Vaccine Availability Table**

**Eligibility**

- **All Children:** Vaccine provided by MDPH for identified cohorts regardless of insurance status.
- **VFC Only:** Vaccine provided by MDPH for children under 19 years of age in the identified cohorts who are enrolled in Medicaid, uninsured, American Indian or Alaska Native, and those seen at a federally qualified community health center.

Vaccine	Eligibility	Available For
<b>Pneumococcal Conjugate (PCV7)</b>	All	<ul style="list-style-type: none"> <li>All children 2-23 months of age</li> <li>Children 24-59 months of age in an ACIP recommended group*</li> </ul>
<b>Pneumococcal Polysaccharide (PPV23)</b>	All	<ul style="list-style-type: none"> <li>Children 2 years of age or older who are in an ACIP recommended group*</li> </ul>
<b>Polio</b>	All	<ul style="list-style-type: none"> <li>All children 2 months-18 years of age</li> </ul>
<b>Rotavirus</b>	VFC Only	<ul style="list-style-type: none"> <li>Infants 6-32 weeks of age</li> </ul>
<b>Td</b>	All	<ul style="list-style-type: none"> <li>Children 7-18 years of age</li> </ul>
<b>Tdap</b>	All	<ul style="list-style-type: none"> <li>One cohort of adolescents at 7<sup>th</sup> grade entry (11-12 years of age)</li> <li>Children 13-18 years of age who have not yet received Td</li> <li>Children 10-18 years of age who have been exposed to pertussis or in an outbreak setting (availability is limited)</li> </ul> <p><b>Not available for:</b> Routine “catch-up” immunization of adolescents 13-18 years of age who have already received Td vaccine</p>
<b>Varicella</b>	All	<ul style="list-style-type: none"> <li>All children 12 months-18 years of age <ul style="list-style-type: none"> <li>1<sup>st</sup> dose routinely administered at 12-15 months of age</li> <li>2<sup>nd</sup> dose for one cohort, routinely administered at kindergarten entry (4-6 years of age)</li> </ul> </li> <li>Household contacts of immunocompromised individuals, regardless of age</li> <li>Use as a 2<sup>nd</sup> dose for children 1-18 years of age who are exposed to varicella as well as for outbreak control (availability is limited)</li> </ul> <p><b>Not available for:</b> Routine “catch-up” vaccination of other age groups with a second dose</p>

\*For a list of vaccines and the groups for whom vaccine is recommended, please see the MDPH *Summary of Advisory Committee on Immunization Practices (ACIP) Recommended Groups for Vaccination*. For the complete ACIP recommendations, see [www.cdc.gov/nip/ACIP/default.htm](http://www.cdc.gov/nip/ACIP/default.htm).